

=> IFW: Scan as Doc Code: SRNT <=
Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/510421

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

 PALM INTRANETDay : Friday
Date: 12/8/2006
Time: 14:54:40

Inventor Information for 10/510421

| | | |
|----------------------|-------------|----------------------|
| Inventor Name | City | State/Country |
| MAGALDI, MARIO | SALERNO | ITALY |

| | | | | | | |
|------------|----------|---------------|-----------------|-------------------|--------------|----------|
| Appln Info | Contents | Petition Info | Atty/Agent Info | Continuity/Reexam | Foreign Data | Inventor |
|------------|----------|---------------|-----------------|-------------------|--------------|----------|

Search Another: Application# or Patent#

PCT / / or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | | | | | |
|---------------------|----------|--|----------|---|--------------------------|
| US 7055674 B2 | 20060606 | Self-cleaning enclosed belt conveyor for loose materials | 198/494 | 198/493; 198/498 | Magaldi; Mario |
| US 6230633 B1 | 20010515 | Conveyor/cooler of loose materials | 110/189 | 110/165R; 110/259; 122/4D; 165/104.16; 165/104.18; 165/286; 414/161; 414/216 | Magaldi; Mario et al. |
| US RE34814 E | 19950103 | Process and apparatus for continuous dry removal of bottom ash | 110/165R | 110/259; 198/850; 414/327 | Magaldi; Mario |
| US 5255615 A | 19931026 | System for discharging bottom ash from steam-producing boilers | 110/234 | 110/165R; 110/259; 110/341 | Magaldi; Mario |
| US 4887539 A | 19891219 | Process and apparatus for continuous dry removal of bottom | 110/165R | 110/259; 198/813; 198/850; 414/327 | Magaldi; Mario |